

REXALL ANTACID FLAVOR CHEWS- calcium carbonate tablet, chewable
Dolgenercorp, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Calcium Carbonate 750 mg

Active ingredient (in each chewable tablet)

Calcium Carbonate 750 mg

Purpose

Antacid

Uses Relieves

- Heartburn
- Sour stomach
- Acid indigestion
- Upset stomach due to these symptoms

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.

Do not take more than 5 chewable tablets in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

When using this product constipation may occur

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions - Adults and children 12 years and older chew and swallow 1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5 chewable tablets in 24 hours. Children under 12 years consult a doctor.

Other information

- **Each chewable tablet contains:** calcium 300mg
- Contains soy
- Contains FD&C yellow No. 5 (tartrazine) as a color additive
- Store between 20° to 25°C (68° to 77°F) in a dry place

Inactive ingredients: Beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, DL-alpha tocopherol, ethyl acetate, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 5 lake (tartrazine), FD&C yellow no. 6, FD&C yellow no. 6 aluminum lake, gum arabic, hydrogenated coconut oil, maltodextrin, medium chain triglycerides, methyl paraben, modified corn starch, natural and artificial flavors,

phosphoric acid, pregelatinized corn starch, propyl paraben, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, soybean oil, sucrose and titanium dioxide.

Questions? Call 1-800-245-2898.

Drug Facts (continued)
Directions Adults and children 12 years and older chew and swallow 1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5 chewable tablets in 24 hours. Children under 12 years consult a doctor.
Other information ■ Each chewable tablet contains: calcium 300mg
 ■ Contains soy ■ Contains FD&C yellow No.5 (tartrazine) as a color additive ■ Store between 20° to 25° C (68° to 77°F) in a dry place
Inactive ingredients Beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, DL-alpha tocopherol, ethyl acetate, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 1 aluminum lake (tartrazine), FD&C yellow no. 6, FD&C yellow no. 6 aluminum lake, gum arabic, hydrogenated coconut oil, maltodextrin, medium chain triglycerides, methyl paraben, modified corn starch, natural and artificial flavors, phosphoric acid, pregelatinized corn starch, propyl paraben, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, soybean oil, sucrose and titanium dioxide.
Questions? Call 1-800-245-2898.

BONUS SIZE | 25% MORE FREE

Rexall Since 1903

Extra Strength Antacid Flavor Chews®
FAST-ACTING RELIEF
 750 mg CALCIUM CARBONATE
 Relieves:
 • Heartburn
 • Sour stomach
 • Acid indigestion

32 45 COUNT Gluten-Free

Assorted Fruit

Drug Facts
Active ingredient (in each chewable tablet) Purpose
 Calcium carbonate 750 mg Antacid
Uses Relieves ■ Heartburn ■ Sour stomach ■ Acid indigestion
 ■ Upset stomach due to these symptoms
Warnings
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients
 Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs. Do not take more than 5 chewable tablets in a 24-hour period, or use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.
 When using this product constipation may occur
 If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children.

Flavor Chews® is a registered trademark of BestCo, LLC.
 Packaged by: BestCo, LLC
 Mooresville, NC 28115

A1200 PN 502627
 0 70312 60074 8

REXALL ANTACID FLAVOR CHEWS

calcium carbonate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-097
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	750 mg

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	pink, yellow, orange	Score	no score
Shape	ROUND	Size	14mm
Flavor	ORANGE, STRAWBERRY, LEMON	Imprint Code	FC
Contains			

Packaging

#	Item Code	Package Description	Marketing Start	Marketing End
---	-----------	---------------------	-----------------	---------------

#	Item Code	Package Description	Date	Date
1	NDC:55910-097-45	45 in 1 BOTTLE; Type 0: Not a Combination Product	10/03/2019	



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	10/03/2019	

Labeler - Dolgencorp, LLC (068331990)

Registrant - Bestco Inc. (002149136)

Establishment

Name	Address	ID/FEI	Business Operations
Bestco Inc.		002149136	manufacture(55910-097)

